STANDARD QUOTE DOCUMENTATION SUPPLY CHAIN MANAGEMENT UNDER R30 000.00

| DATE AL | E HEREBY INVIT OVERTISED: .16/0 IES MAY BE DIR AL ADDRESS: .8 | 8/2021 ECTED TO: .Mlu | . FACSIN ngisi Nyu | ILE N | JMBER: . | 086555 | 5254 | | | EMAIL | ACT NU | MBER: | gialch 031 | 240 209 | 3 | | | | | | |
|---|---|---|---|--|---|---|--|----------|---|--|---|---|---|--|--|---|--|---|--|--|--|
| ZNQ NUM | ION WALKING | TICK, ALUMINI | | | | | | | | | | | | | | | | | | | |
| | THEF | LLOWING PAR | IICULAR | 5 MUS | | | | | | DER (FIR | | .I IIN T | JUNG | JFFER E | DEING | DIS | COAL | ii iLUj | | | 닉 |
| NAME O | F BIDDER: | | | | | INAME O | AUU | TESS C | DATE | • | avij | - | _ | | | | | | - | | - 88 |
| 200000000000000000000000000000000000000 | AL ADDRESS: | | | | | | | | | L ADDRE | ESS: | | | | | | _ | | | | - |
| 3.7.300(43.40 | T NUMBER: | | | | | | | | FACS | IMILE N | UMBER | | | | _ | _ | | | | | |
| SIGNATI | URE OF BIDDER: | | | | | | | | SARS | PIN: | | | | | | | | | | | |
| [By signi | ng this document | hereby agree to | all terms | and co | nditions] | | | | CENT | RAL SU | PPLIER | DATA | BASE | REGIST | RATIO |) NC | CSD) I | NO:: 1 | | | |
| UNIQUE | REGISTRATION | REFERENCE: 1 | 0 | | | | | | | | | | | | | | | | | | |
| | | | TI | | | | | | | | | | | | | | | | | | |
| | offer comply with t | he specification? | | | | - 52 | | | | ery period | | | | | | | | | | | |
| Is the price | e firm? | | | | | | | JAII d | elivery | costs m | | | | | | | | | en in | | |
| Item No | Quantity | Description | | | | | | | | | Brand | & mod | lel | | ounti nanuf | | | Pric | e | | С |
| | | | | | | | | OTABLE | _ | | | | | - | | | | <u> </u> | 7 | | - |
| 1. | 40 UNITS | v | VALKING | SIIC | K, ALUM | INIUM, | ADJU | STABLE | - | | | - | | \dashv | | | | \vdash | | | |
| | | | | | | | | | | | | | | \dashv | | | | | | _ | |
| | | | | | | | | | | | | | | | | | | | | | |
| | | | Plea | se se | e specific | cation a | ttache | ed. | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | _ | | | |
| | | | Evaluation | | | | | - | | | | | | | | | _ | 1 | | | |
| | | Samples must | | | 200 8800 | - PARTO - CONT. | | 9.56.50 | 200 | Marine Contract | | | | + | | _ | | - | _ | | \vdash |
| | | Please label | your sam | ple cle | arly with | ZNQ n | umbe | r and Su | upplier | name. | | | | + | | _ | - | ╁ | | | \vdash |
| VALUE | ADDED TAX @ 1 | 5% (Only if VAT | Vendor) | 11 | | | | | | | | | | | | | | + | 75 111 | | |
| | QUOTATION PRI | | | Days |) | 1.11/1.00 | | | | | | | - | | | | - 10 | \vdash | | | |
| 1.1 The 1.2 The 1.3 The 1.4 The cove bidd 1.5 The deve 1.6 This 1.7 Only 1.8 Late 1.9 All p | CIAL CONTRACT CON institution is under no o price quoted must inclu department reserves th fors. bidder must ensure the er all for the work/tem (s er's risk, bidder must accept full whing on under this agra- quotation will be evalua- roffers that comply with fugules will not be cons- roducts supplied must be defer not registered on the elivery costs must be in | oligation to accept the le VAT (if VAT vendor right to evaluate all q correctness & validity) & accept that any mis- responsibility for the pr- ement, as the Principa- ted specification & cor or greater than specifi- dered. | lowest or any). uotations exc of quote: that stakes regard oper execution (s) liable for rectness of in cation will be period of six | cluding V. If the price ding the property on & fulfill reference on the due of consider months. | e(s), rate(s) & rice (s) & cal ment of all of fulfilment of n. ed. | i preference iculations with the preference wi | e quotec vill be at condition ct. | the s | 1.22 2. 2.1 2.2 2.3 2.4 2.5 | restriction p period not e in the event considered. quoting (co- considered SPECIAL II QUOTATIO Unless inco and vice ver Under no c original bid in The bidder i Quotation s Any alteratic | voceeding 1 of a bidde Furthermover-quoting NSTRUCTI NI. nsistent wi rsa and wit ircumstanc documenta is advised if ubmitted m on made by | If years, r having no a verification of this but the or expr h words in the sea whatsution may to check the sea whatsution or the country to the bidd | nultiple of cation world. In su O NOTIC essity incomporting be used the numb mplete it er must | quotes, only vill be done uch instance CES TO SU dicated other at the masou ay the quot ber of page in all respect | y the che to ident es only t PPLIER erwise b line gen tation/bic ginal sig s and to | eapes ify if b the ch the ch | t accordi idders ha eapest b GARDIN context, t hall inclu s be rety e must ap | ng to spe aving mul id accord IG THE C the singu de the fer ped or re ppear on | cification tiple comping to spe COMPLET lar shall in minine an drafted. F such pho | will be panies as edication TON OF include the difference Photocopies. | nd are n will be THIS ne plural uter. nies of the |
| 1.12 Only | firm prices will be acce | pted. Such prices mus variations) will not be | t remain firm | for the co | ontract period | d. Non-firm | prices | | Use of correcting fluid is prohibited Quotation will be opened in public as soon as practicable after the closing time of quotation. | | | | | | | | | | | | |

- 1.13 In cases where different delivery points influence the pricing, a separate pricing schedule must be submitted
- for each delivery point.

 1.14 If samples / compulsory site inspection / briefing session are required, the supplier will be informed in due course.

- course.

 1.15 The supplier shall furnish any information, when requested.

 1.15 The supplier shall furnish any information, when requested.

 1.16 In the event that the tax compliance status has failed on CSD, it is the suppliers' responsibility to provide a SARS pin in order for the institution to validate the tax compliance status of the supplier.

 1.17 The supplier shall indemnify the KZN Department of Health (aka the purchaser) against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the goods or any part thereof by the purchaser.

 1.18 If the supplier fails to deliver any or all of the goods or to perform the services within the period(s) specified in the contract, the purchaser shall, without prejudice to its other remedies under the contract, deduct from the contract, the purchaser shall, without prejudice to its other remedies under the contract, deduct from the contract, the purchaser shall, without prejudice to its other remedies under the contract, deduct from the contract price, as a penalty, a sum calculated on the delivered price of the delay of goods or unperformed services using the current prime interest rate calculated for each day of the delay until actual delivery or performance. The purchaser may also consider termination of the contract.

 1.19 The purchaser, may terminate this contract in whole or in part if the supplier fails to deliver any or all of the goods within the period(s) specified in the contract fails to perform any other obligation(s) under the contract or has engaged in corrupt or fraudulent practices in competing for or in executing the contract.

 120 The purchaser may procure, upon such terms and in such manner as it deems appropriate, goods, works or services similar to those undelivered, and the supplier shall be liable to the purchaser for any excess costs for such similar goods, works or services.
- such similar goods, works or services
- 1.21 Where the purchaser terminates the contract in whole or in part, the purchaser may decide to impose a

- 28 Where practical, prices are made public at the time of opening quotations.
 29 If it is desired to make more than one offer against any individual item, such offers should be given on a photocopy of the page in question. Clear indication thereof must be stated on the schedules attached.

- SPECIAL INSTRUCTIONS REGARDING HAND DELIVERED QUOTATIONS

 1. Quotation shall be lodged at the address indicated not later than the closing time specified for their receipt, and in accordance with the directives in the quotation documents.

 2. Each quotation shall be addressed in accordance with the directives in the quotation documents and shall be lodged in a separate sealed envelope, with the name and address of the bidder, the quotation number and closing date indicated on the envelope. The envelope shall not contain documents relating to any quotation other than that shown on the envelope. If this provision is not compiled with, such quotationshibids may be rejected as being invalid.

 3. All quotations received in sealed envelopes with the relevant quotation numbers on the envelopes are kept unopened in sale custody until the closing time of the quotation-bids. Where, however, a quotation is received open, it shall be sealed. If it is received without a quotation-bid number on the envelope, it shall be opened, the quotation number association, the envelope said and the quotation number written on the envelope.

 3. A specific box is provided for the receipt of quotation, and no quotation found in any other box or elsewhere subsequent to the closing date and time of quotation will be considered.

 3. No quotation-bid sent through the post will be considered if it is received after the closing date and time.

- sousequent to the dusting date and time of quotation will be considered.

 No quotation/bid sent through the post will be considered if it is received after the closing date and time stipulated in the quotation documentation, and proof of posting will not be accepted as proof of delivery.

 Quotation documents must not be included in packages containing samples. Such quotations may be rejected as being invalid. as being invalid.

DECLARATION OF INTEREST

| 1. | Any legal person, including persons employed by the state¹, or persons having a kinship with persons employed by the strelationship, may make an offer or offers in terms of this invitation to quote (includes a price quotation, advertised com quote or proposal). In view of possible allegations of favouritism, should the resulting quote, or part thereof, be awarded by the state, or to persons connected with or related to them, it is required that the bidder or his/her authorised represer position in relation to the evaluating/adjudicating authority where— the bidder is employed by the state; and/or the legal person on whose behalf the bidding document is signed, has a relationship with persons/a person who evaluation and or adjudication of the quote(s), or where it is known that such a relationship exists between the person whose behalf the declarant acts and persons who are involved with the evaluation and or adjudication of the quote. | petitive quote, limited to persons employed ntative declare his/her are/is involved in the |
|--------|--|---|
| 2. | In order to give effect to the above, the following questionnaire must be completed and submitted with the quote. | |
| 2 | Full Name of bidder/representative | |
| 2 | 2.7. The names of all directors / trustees / shareholders / members, their individual identity numbers, tax reference numbers employee / persal numbers must be indicated in paragraph 3 below. 2.8. Are you or any person connected with the bidder presently employed by the state? 2.8.1. If so, furnish the following particulars: Name of person / director / trustee / shareholder/ member: Name of state institution at which you or the person connected to the bidder is employed: The property of the person connected to the bidder is employed: The person connected to the bidder is employed: | YES NO |
| 2 | Position occupied in the state institution: 2.8.2. If you are presently employed by the state, did you obtain the appropriate authority to undertake remunerative work in the public sector? 2.8.2.1. If yes, did you attach proof of such authority to the quote document? In the disqualification of the quote.) | k outside employment YES NO |
| 2 | 2.8.2.2. If no, furnish reasons for non-submission of such proof: 2.9. Did you or your spouse, or any of the company's directors / trustees / shareholders / members or their spouses conditions at the previous twelve months? 2.9.1. If so, furnish particulars: | duct business with the |
| 2 | 2.10. Do you, or any person connected with the bidder, have any relationship (family, friend, other) with a person employed may be involved with the evaluation and or adjudication of this quote? 2.10.1. If so, furnish particulars: | YES NO |
| 2 | 2.11. Are you, or any person connected with the bidder, aware of any relationship (family, friend, other) between any other employed by the state who may be involved with the evaluation and or adjudication of this quote? 2.11.1. If so, furnish particulars: | YES NO |
| 2 | 2.11. If so, furnish particulars: 2.12. Do you or any of the directors / trustees / shareholders / members of the company have any interest in any other related or not they are bidding for this contract? 2.12.1. If so, furnish particulars: | ed companies whether YES NO |
| 3 | 3. Full details of directors / trustees / members / shareholders. NB: The Department Of Health will validate details of directors / trustees / members / shareholders on CSD. It is the s to ensure that their details are up-to-date and verified on CSD. If the Department cannot validate the information of not be considered and passed over as non-compliant according to National Treasury Instruction Note 4 (a) 2016/17. | uppliers' responsibility on CSD, the quote will |
| 300 | 4 DECLARATION | |
| I F | I, THE UNDERSIGNED (NAME) | E INFORMATION |
| | I ACCEPT THAT THE STATE MAY REJECT THE QUOTE OR ACT AGAINST ME SHOULD THIS DEC PROVE TO BE FALSE. | LARATION |
| | | |

Name of bidder "State" means -

a) any national or provincial department, national or provincial public entity or constitutional institution within the meaning of the Public Finance Management Act, 1999 (Act No. 1 of 1999);

Act, 1999 (Act No. 1 of 1999);

Parliament.

Signature

Position

Date

b) any municipality or municipal entity;

^{*&}quot;Shareholder" means a person who owns shares in the company and is actively involved in the management of the enterprise or business and exercises control over the enterprise.



Specifications Template.

Prepared by:

| Initial and Surname | Designation | Signature | Date | |
|---------------------|-------------|-------------|----------|--|
| L.E.GILBERT | AD:PHYSIO | | 12/08/21 | |
| | | 73 CO mally | | |

Reviewed by Supervisor/Operational Manager:

| Initial and Surname | Designation | Signature | Date | |
|---------------------|-------------|-----------|------|--|
| | | | | |
| | | 1 | | |
| | | 1 | | |

| Item details | Specification |
|------------------|---|
| Item description | Aluminum walking stick. A device used to provide support when walking which has a telescopic height adjustable shaft with a molded handgrip and a single tip. Altached to the single tip can be a variety of ferrules (usually rubber) for different environmental contexts, which can be interchanged or replaced as needed. |
| | Has 1 handle, with 1 shaft, 1 tip and 1 ferrule Handle: should be covered with a durable material (e.g. Nylon 6/6) which has good abrasion |
| | and hydrocarbon resistance. Usually made of durable plastic or rubber with ergonomically molded handgrip. Can be straight or offset. Must be firmly connected to the main frame. Shaft: height adjustable (via clip or push button – the pin should be made of stainless steel) |
| | that has high strength, low deformation and high abrasion resistance characteristics. Push-button adjustability enables the walking stick to be used in the right or left hands. The shaft should be in 2 parts, is telescopic in nature, and preferably made of aluminum. Upper tube — not less than 25mm in diameter and not less than 1.3mm in thickness (adult) And 22mm x 1.6mm (pediatric) Lower tube — not less than 21mm in diameter and not less than 1.3mm in thickness and 19mm x 1.6mm (pediatric). Holes should not become enlarged with repeated use or adjustments. Foot pieces and cuff/ upper tube to slide freely over the full extensibility and can easily be dismantled; clearance |
| | between the sliding parts not to exceed 1mm. Pin should be made of stainless steel, at least 6mm in diameter and electroplated to prevent corrosion. Pin should be on the foot piece. |
| | <u>Tip/Base</u> : non-slip and replaceable, usually made of durable rubber (ferrules). Non-marking. With steel washer/plastic insert. Variety of types available for different environmental contexts. |
| Size E3053604 | Pediatric (min 750mm / max 980mm) and adult (min 980mm / max 1180mm) both height adjustable |
| | Information about the overall width, height, length and weight of the walking stick should be provided. Height is measured from the handle to the ground. |



| | Ferrule size 25mm injection molded grey PVC non marking, non-slip with steel washer/plastic insert. Pediatric should not exceed 600gr. |
|---------------------------|---|
| Color | Shaft made of aluminum – anodizing – natural color The height adjustable mechanism and pin must be made of stainless steel Ferrules and handgrip are molded grey polypropylene (rubber/durable plastic) |
| Malerial | Made of durable lightweight metal (e.g. extruded anodized aluminum). Quality of metal is critical for durability, especially with regards to holes for height adjustments. The height adjustable mechanism to be made of stainless steel for high strength, low deformation and resistance to abrasion. Pin should be made of stainless steel, Handle and ferrule made from durable plastic or rubber |
| Packaging (unit/box) | Unit The cane should be delivered fully assembled. |
| Functionality/performance | Provides support to a user who is able to ambulate independently with minimal additional support. The telescopic height adjustable shaft should be in 2 parts to allow for adjustments. Foot piece and cuff to slide freely over the full extensibility. |
| Purpose | A walking stick enables a person to maintain stability and balance whilst walking over a variety of indoor and outdoor surfaces and can also be used to reduce impact on the opposite leg. It gives support and promotes mobility during walking for a person with impaired mobility. The user must have fair grip strength and upper limb mobility with an acceptable level of cognition and no weight bearing restrictions during gait. |
| Other: | The handle and shaft should be subjected to a static load test. 400N (Approximately 40kgf) is applied in the upright position to central part of the handgrip, with the stick adjusted to maximum length. Permanent deformation is measured accordingly. |
| | The lifespan should be at least 5 years. |
| | Samples to be supplied for identification and compliance of specification. |
| | Items and components should be of a high standard. Poor workmanship i.e. inaccurate machining, sharp edges and substandard materials, which compromise the health and safety of patients and staff will be deemed to be hazardous. |
| | |

Approved by specifications committee chairperson:

| Initial and Surname | Portfolio | Signature | Date |
|---------------------|-----------|-----------|-------------|
| N.P. Manemby | SCMP | AND | 16.08.2021. |