

STANDARD QUOTE DOCUMENTATION SUPPLY CHAIN MANAGEMENT UNDER R30 000.00

YOU ARE HEREBY INVITED TO QUOTE FOR REQUIREMENTS AT: **INKOSI ALBERT LUTHULI CENTRAL HOSPITAL**
 DATE ADVERTISED: 11/11/2021 FACSIMILE NUMBER: 086555254 EMAIL: Quotations@ialch.co.za
 ENQUIRIES MAY BE DIRECTED TO: **Mlungisi Nyuswa** CONTACT NUMBER: 031 240 2093
 PHYSICAL ADDRESS: 800 Vusi Mzimela road, Mayville 4091

ZNQ NUMBER: ZNQST IAL 522/21/22 CLOSING DATE: 11/11/2021 CLOSING TIME: 11:00

DESCRIPTION: TUBE,ET,ORALNASAL,CUFFED (Various Sizes)

THE FOLLOWING PARTICULARS MUST BE FURNISHED (FAILURE TO DO SO WILL RESULT IN YOUR OFFER BEING DISQUALIFIED)

NAME & ADDRESS OF BIDDER (FIRM)	
NAME OF BIDDER:	DATE:
PHYSICAL ADDRESS:	EMAIL ADDRESS:
CONTACT NUMBER:	FACSIMILE NUMBER:
SIGNATURE OF BIDDER:	SARS PIN:
[By signing this document I hereby agree to all terms and conditions]	CENTRAL SUPPLIER DATABASE REGISTRATION (CSD) NO.: ↓
UNIQUE REGISTRATION REFERENCE: ↓	

Does this offer comply with the specification?	State delivery period e.g. E.g. 1day, 1week
Is the price firm?	All delivery costs must be included in the quote price

Item No	Quantity	Description	Brand & model	Country of manufacture	Price	
					R	c
1.	100 Units	TUBE,ET,ORAL/NASAL,CUFFED,SIZE 5.5				
2.	100 Units	TUBE,ET,ORAL/NASAL,CUFFED,SIZE 6.0				
3.	150 Units	TUBE,ET,ORAL/NASAL,CUFFED,SIZE 6.5				
4.	840 Units	TUBE,ET,ORAL/NASAL,CUFFED,SIZE 7.0				
5.	900 Units	TUBE,ET,ORAL/NASAL,CUFFED,SIZE 7.5				
6.	160 Units	TUBE,ET,ORAL/NASAL,CUFFED,SIZE 8.0				
7.	70 Units	TUBE,ET,ORAL/NASAL,CUFFED,SIZE 8.5				
8.	30 Units	TUBE,ET,ORAL/NASAL,CUFFED,SIZE 9.0				
		Please see specification attached.				
VALUE ADDED TAX @ 15% (Only if VAT Vendor)						
TOTAL QUOTATION PRICE (VALIDITY PERIOD 60 Days)						

1. SPECIAL CONTRACT CONDITIONS OF QUOTATIONS
 - 1.1 The institution is under no obligation to accept the lowest or any quote.
 - 1.2 The price quoted must include VAT (if VAT vendor).
 - 1.3 The department reserves the right to evaluate all quotations excluding VAT as some bidders may not be VAT vendors.
 - 1.4 The bidder must ensure the correctness & validity of quote: that the price(s), rate(s) & preference quoted cover all for the work/Item (s) & accept that any mistakes regarding the price (s) & calculations will be at the bidder's risk.
 - 1.5 The bidder must accept full responsibility for the proper execution & fulfilment of all obligations conditions devolving on under this agreement, as the Principal (s) liable for the due fulfilment of this contract.
 - 1.6 This quotation will be evaluated specification & correctness of information.
 - 1.7 Only offers that comply with or greater than specification will be considered.
 - 1.8 Late quotes will not be considered.
 - 1.9 All products supplied must be valid for a minimum period of six months.
 - 1.10 A bidder not registered on the Central Suppliers Database or verification has failed will not be considered.
 - 1.11 All delivery costs must be included in the quote price, for delivery at the prescribed destination.
 - 1.12 Only firm prices will be accepted. Such prices must remain firm for the contract period. Non-firm prices (including rates of exchange variations) will not be considered.
 - 1.13 In cases where different delivery points influence the pricing, a separate pricing schedule must be submitted for each delivery point.
 - 1.14 If samples / compulsory site inspection / briefing session are required, the supplier will be informed in due course.
 - 1.15 The supplier shall furnish any information, when requested.
 - 1.16 In the event that the tax compliance status has failed on CSD, it is the suppliers' responsibility to provide a SARS pin in order for the institution to validate the tax compliance status of the supplier.
 - 1.17 The supplier shall indemnify the KZN Department of Health (aka the purchaser) against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the goods or any part thereof by the purchaser.
 - 1.18 If the supplier fails to deliver any or all of the goods or to perform the services within the period(s) specified in the contract, the purchaser shall, without prejudice to its other remedies under the contract, deduct from the contract price, as a penalty, a sum calculated on the delivered price of the delayed goods or unperformed services using the current prime interest rate calculated for each day of the delay until actual delivery or performance. The purchaser may also consider termination of the contract.
 - 1.19 The purchaser, may terminate this contract in whole or in part if the supplier fails to deliver any or all of the goods within the period(s) specified in the contract fails to perform any other obligation(s) under the contract, or has engaged in corrupt or fraudulent practices in competing for or in executing the contract.
 - 1.20 The purchaser may procure, upon such terms and in such manner as it deems appropriate, goods, works or services similar to those undelivered, and the supplier shall be liable to the purchaser for any excess costs for such similar goods, works or services.
 - 1.21 Where the purchaser terminates the contract in whole or in part, the purchaser may decide to impose a

- restriction penalty on the supplier by prohibiting such supplier from doing business with the public sector for a period not exceeding 10 years.
- 1.22 In the event of a bidder having multiple quotes, only the cheapest according to specification will be considered. Furthermore a verification will be done to identify if bidders having multiple companies and are quoting (cover-quoting) for this bid. In such instances only the cheapest bid according to specification will be considered.
2. SPECIAL INSTRUCTIONS AND NOTICES TO SUPPLIERS REGARDING THE COMPLETION OF THIS QUOTATION.
 - 2.1 Unless inconsistent with or expressly indicated otherwise by the context, the singular shall include the plural and vice versa and with words importing the masculine gender shall include the feminine and the neuter.
 - 2.2 Under no circumstances whatsoever may the quotation/bid forms be retyped or redrafted. Photocopies of the original bid documentation may be used, but an original signature must appear on such photocopies.
 - 2.3 The bidder is advised to check the number of pages and to satisfy himself that none are missing or duplicated.
 - 2.4 Quotation submitted must be complete in all respects.
 - 2.5 Any alteration made by the bidder must be initialed.
 - 2.6 Use of correcting fluid is prohibited.
 - 2.7 Quotation will be opened in public as soon as practicable after the closing time of quotation.
 - 2.8 Where practical, prices are made public at the time of opening quotations.
 - 2.9 If it is desired to make more than one offer against any individual item, such offers should be given on a photocopy of the page in question. Clear indication thereof must be stated on the schedules attached.
3. SPECIAL INSTRUCTIONS REGARDING HAND DELIVERED QUOTATIONS
 - 3.1 Quotation shall be lodged at the address indicated not later than the closing time specified for their receipt, and in accordance with the directives in the quotation documents.
 - 3.2 Each quotation shall be addressed in accordance with the directives in the quotation documents and shall be lodged in a separate sealed envelope, with the name and address of the bidder, the quotation number and closing date indicated on the envelope. The envelope shall not contain documents relating to any quotation other than that shown on the envelope. If this provision is not complied with, such quotations/bids may be rejected as being invalid.
 - 3.3 All quotations received in sealed envelopes with the relevant quotation numbers on the envelopes are kept unopened in safe custody until the closing time of the quotation/bids. Where, however, a quotation is received open, it shall be sealed. If it is received without a quotation/bid number on the envelope, it shall be opened, the quotation number ascertained, the envelope sealed and the quotation number written on the envelope.
 - 3.4 A specific box is provided for the receipt of quotations, and no quotation found in any other box or elsewhere subsequent to the closing date and time of quotation will be considered.
 - 3.5 No quotation/bid sent through the post will be considered if it is received after the closing date and time stipulated in the quotation documentation, and proof of posting will not be accepted as proof of delivery.
 - 3.6 Quotation documents must not be included in packages containing samples. Such quotations may be rejected as being invalid.

DECLARATION OF INTEREST

- Any legal person, including persons employed by the state¹, or persons having a kinship with persons employed by the state, including a blood relationship, may make an offer or offers in terms of this invitation to quote (includes a price quotation, advertised competitive quote, limited quote or proposal). In view of possible allegations of favouritism, should the resulting quote, or part thereof, be awarded to persons employed by the state, or to persons connected with or related to them, it is required that the bidder or his/her authorised representative declare his/her position in relation to the evaluating/adjudicating authority where-
 - the bidder is employed by the state; and/or
 - the legal person on whose behalf the bidding document is signed, has a relationship with persons/a person who are/is involved in the evaluation and or adjudication of the quote(s), or where it is known that such a relationship exists between the person or persons for or on whose behalf the declarant acts and persons who are involved with the evaluation and or adjudication of the quote.
- In order to give effect to the above, the following questionnaire must be completed and submitted with the quote.

- 2.1. Full Name of bidder/representative.....
- 2.2. Identity Number:
- 2.3. Position occupied in the Company (director, trustee, shareholder?):.....
- 2.4. Company Registration Number:
- 2.5. Tax Reference Number:
- 2.6. VAT Registration Number:

2.7. The names of all directors / trustees / shareholders / members, their individual identity numbers, tax reference numbers and, if applicable, employee / persal numbers must be indicated in paragraph 3 below. [TICK APPLICABLE]

2.8. Are you or any person connected with the bidder presently employed by the state? YES NO

2.8.1. If so, furnish the following particulars:
 Name of person / director / trustee / shareholder/ member:
 Name of state institution at which you or the person connected to the bidder is employed:.....
 Position occupied in the state institution:Any other particulars:.....

2.8.2. If you are presently employed by the state, did you obtain the appropriate authority to undertake remunerative work outside employment in the public sector? YES NO

2.8.2.1. If yes, did you attach proof of such authority to the quote document?

(Note: Failure to submit proof of such authority, where applicable, may result in the disqualification of the quote.)

2.8.2.2. If no, furnish reasons for non-submission of such proof:

2.9. Did you or your spouse, or any of the company's directors / trustees / shareholders / members or their spouses conduct business with the state in the previous twelve months? YES NO

2.9.1. If so, furnish particulars:.....

2.10. Do you, or any person connected with the bidder, have any relationship (family, friend, other) with a person employed by the state and who may be involved with the evaluation and or adjudication of this quote? YES NO

2.10.1. If so, furnish particulars:.....

2.11. Are you, or any person connected with the bidder, aware of any relationship (family, friend, other) between any other bidder and any person employed by the state who may be involved with the evaluation and or adjudication of this quote? YES NO

2.11.1. If so, furnish particulars:.....

2.12. Do you or any of the directors / trustees / shareholders / members of the company have any interest in any other related companies whether or not they are bidding for this contract? YES NO

2.12.1. If so, furnish particulars:.....

3. Full details of directors / trustees / members / shareholders.

NB: The Department Of Health will validate details of directors / trustees / members / shareholders on CSD. It is the suppliers' responsibility to ensure that their details are up-to-date and verified on CSD. If the Department cannot validate the information on CSD, the quote will not be considered and passed over as non-compliant according to National Treasury Instruction Note 4 (a) 2016/17.

4. DECLARATION

I, THE UNDERSIGNED (NAME).....CERTIFY THAT THE INFORMATION FURNISHED IN PARAGRAPHS 2.

I ACCEPT THAT THE STATE MAY REJECT THE QUOTE OR ACT AGAINST ME SHOULD THIS DECLARATION PROVE TO BE FALSE.

.....
 Name of bidder Signature Position Date

¹"State" means –

- | | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------|
| a) any national or provincial department, national or provincial public entity or constitutional institution within the meaning of the Public Finance Management Act, 1999 (Act No. 1 of 1999); | c) provincial legislature; |
| b) any municipality or municipal entity; | d) national Assembly or the national Council of provinces; or |
| | e) Parliament. |

²"Shareholder" means a person who owns shares in the company and is actively involved in the management of the enterprise or business and exercises control over the enterprise.

	<ul style="list-style-type: none"> • CE number • Lot number • Expiry date <p>Per unit</p>
--	----------------------------------------------------------------------------------------------------------------------------

ITEM:	DESCRIPTION:
PC 2	<p style="text-align: right; color: brown; font-weight: bold;">E3306530</p> <p>Cuffed plain Oral/Nasal tracheal tube with a Murphy eye. 5.5 mm ID</p> <p>Purpose: Short term oral or nasal intubation</p> <p>Size: 5.5 mm</p> <p>Clear thermo-sensitive PVC tube with a radio-opaque line. Full Magill curvature.</p> <p>Firm kink resistant tube - atraumatic to airway.</p> <p>Bevelled atraumatic tip, murphy eye on opposite side to bevel.</p> <p>Marks/reference lines proximal to cuff to aid with depth of intubation and guide proper placement</p> <p>High volume low pressure cuff with pilot cuff. Pilot cuff to have a one-way valve. Cuff to inflate and deflate easily, and pilot cuff must indicate the degree of inflation accurately.</p> <p>Cuff must be resistant to Nitrous oxide effects. When deflated, cuff must conform closely to tube to minimise the risk of trauma during intubation and extubation.</p> <p>Secure circuit connector with 15mm OD.</p> <p>Tube must be marked with numbered depth markings in 1 cm intervals, tube size, length, ID, OD, trade name. Markings on tube must be clear and must not rub off.</p> <p>Manufactured from: PVC – tubes; Polyurethane: cuffs, Medical grade plastic: connectors</p> <p>All components latex free.</p> <p>Sterile and individually packed in peel pouch</p> <p>Single use only</p>

ITEM:	DESCRIPTION: E3306531
PC 3	<p>Cuffed plain Oral/Nasal tracheal tube with a Murphy eye. 6.0 mm ID</p> <p>Purpose: Short term oral or nasal intubation</p> <p>Size: 6.0 mm</p> <p>Clear thermo-sensitive PVC tube with a radio-opaque line. Full Magill curvature.</p> <p>Firm kink resistant tube - atraumatic to airway.</p> <p>Bevelled atraumatic tip, murphy eye on opposite side to bevel.</p> <p>Marks/reference lines proximal to cuff to aid with depth of intubation and guide proper placement</p> <p>High volume low pressure cuff with pilot cuff. Pilot cuff to have a one-way valve. Cuff to inflate and deflate easily, and pilot cuff must indicate the degree of inflation accurately.</p> <p>Cuff must be resistant to Nitrous oxide effects. When deflated, cuff must conform closely to tube to minimise the risk of trauma during intubation and extubation.</p> <p>Secure circuit connector with 15mm OD.</p> <p>Tube must be marked with numbered depth markings in 1 cm intervals, tube size, length, ID, OD, trade name. Markings on tube must be clear and must not rub off.</p> <p>Manufactured from: PVC – tubes; Polyurethane: cuffs, Medical grade plastic: connectors</p> <p>All components latex free.</p> <p>Sterile and individually packed in peel pouch</p> <p>Single use only</p> <p>The following must be noted on the packaging:</p> <p>Trade name</p> <p>Size and specification</p> <p>Method of sterilization</p> <p>Manufacturing site</p>

	CE number
	Lot number
	Expiry date
	Per unit

ITEM:	DESCRIPTION:
PC 4	<p style="text-align: right; color: green; font-weight: bold;">E3306532</p> <p>Cuffed plain Oral/Nasal tracheal tube with a Murphy eye. 6.5 mm ID</p> <p>Purpose: Short term oral or nasal intubation</p> <p>Size: 6.5 mm</p> <p>Clear thermo-sensitive PVC tube with a radio-opaque line. Full Magill curvature.</p> <p>Firm kink resistant tube - atraumatic to airway.</p> <p>Bevelled atraumatic tip, murphy eye on opposite side to bevel.</p> <p>Marks/reference lines proximal to cuff to aid with depth of intubation and guide proper placement</p> <p>High volume low pressure cuff with pilot cuff. Pilot cuff to have a one-way valve. Cuff to inflate and deflate easily, and pilot cuff must indicate the degree of inflation accurately.</p> <p>Cuff must be resistant to Nitrous oxide effects. When deflated, cuff must conform closely to tube to minimise the risk of trauma during intubation and extubation.</p> <p>Secure circuit connector with 15mm OD.</p> <p>Tube must be marked with numbered depth markings in 1 cm intervals, tube size, length, ID, OD, trade name. Markings on tube must be clear and must not rub off.</p> <p>Manufactured from: PVC – tubes; Polyurethane: cuffs, Medical grade plastic: connectors</p> <p>All components latex free.</p> <p>Sterile and individually packed in peel pouch</p> <p>Single use only</p> <p>The following must be noted on the packaging:</p> <p>Trade name</p> <p>Size and specification</p>

ITEM:	DESCRIPTION: E3306533
PC 5	<p data-bbox="379 304 1134 331">Cuffed plain Oral/Nasal tracheal tube with a Murphy eye. 7.0 mm ID</p> <p data-bbox="379 353 839 380">Purpose: Short term oral or nasal intubation</p> <p data-bbox="379 465 520 492">Size: 7.0 mm</p> <p data-bbox="379 517 1209 544">Clear thermo-sensitive PVC tube with a radio-opaque line. Full Magill curvature.</p> <p data-bbox="379 568 863 595">Firm kink resistant tube - atraumatic to airway.</p> <p data-bbox="379 620 1027 647">Bevelled atraumatic tip, murphy eye on opposite side to bevel.</p> <p data-bbox="379 672 1278 741">Marks/reference lines proximal to cuff to aid with depth of intubation and guide proper placement</p> <p data-bbox="379 819 1299 889">High volume low pressure cuff with pilot cuff. Pilot cuff to have a one-way valve. Cuff to inflate and deflate easily, and pilot cuff must indicate the degree of inflation accurately</p> <p data-bbox="379 913 1326 983">Cuff must be resistant to Nitrous oxide effects. When deflated, cuff must conform closely to tube to minimise the risk of trauma during intubation and extubation.</p> <p data-bbox="379 1048 802 1075">Secure circuit connector with 15mm OD.</p> <p data-bbox="379 1099 1305 1169">Tube must be marked with numbered depth markings in 1 cm intervals, tube size, length, ID, OD, trade name. Markings on tube must be clear and must not rub off.</p> <p data-bbox="379 1234 1299 1261">Manufactured from: PVC – tubes; Polyurethane: cuffs, Medical grade plastic: connectors</p> <p data-bbox="379 1285 651 1312">All components latex free.</p> <p data-bbox="379 1400 844 1426">Sterile and individually packed in peel pouch</p> <p data-bbox="379 1451 541 1478">Single use only</p> <p data-bbox="379 1565 863 1592">The following must be noted on the packaging:</p> <p data-bbox="379 1617 509 1644">Trade name</p> <p data-bbox="379 1668 608 1695">Size and specification</p> <p data-bbox="379 1720 608 1747">Method of sterilization</p> <p data-bbox="379 1771 571 1798">Manufacturing site</p> <p data-bbox="379 1823 501 1850">CE number</p> <p data-bbox="379 1890 603 1917">Lot number 2NB6885/2/2016-H</p> <p data-bbox="379 1942 496 1968">Expiry date</p> <p data-bbox="379 2056 461 2083">Per unit</p>
20	

ITEM:	DESCRIPTION: E3306S34
PC 6	<p>Cuffed plain Oral/Nasal tracheal tube with a Murphy eye. 7.5 mm ID</p> <p>Purpose: Short term oral or nasal intubation</p> <p>Size: 7.5 mm</p> <p>Clear thermo-sensitive PVC tube with a radio-opaque line. Full Magill curvature.</p> <p>Firm kink resistant tube - atraumatic to airway.</p> <p>Bevelled atraumatic tip, murphy eye on opposite side to bevel.</p> <p>Marks/reference lines proximal to cuff to aid with depth of intubation and guide proper placement</p> <p>High volume low pressure cuff with pilot cuff. Pilot cuff to have a one-way valve. Cuff to inflate and deflate easily, and pilot cuff must indicate the degree of inflation accurately</p> <p>Cuff must be resistant to Nitrous oxide effects. When deflated, cuff must conform closely to tube to minimise the risk of trauma during intubation and extubation.</p> <p>Secure circuit connector with 15mm OD.</p> <p>Tube must be marked with numbered depth markings in 1 cm intervals, tube size, length, ID, OD, trade name. Markings on tube must be clear and must not rub off.</p> <p>Manufactured from: PVC – tubes; Polyurethane: cuffs, Medical grade plastic: connectors</p> <p>All components latex free.</p> <p>Sterile and individually packed in peel pouch</p> <p>Single use only</p> <p>The following must be noted on the packaging:</p> <p>Trade name</p> <p>Size and specification</p> <p>Method of sterilization</p> <p>Manufacturing site</p>

	CE number
	Lot number
	Expiry date
	Per unit

ITEM:	DESCRIPTION:
PC 7	<p style="text-align: right;">E3306535</p> <p>Cuffed plain Oral/Nasal tracheal tube with a Murphy eye. 8.0 mm ID</p> <p>Purpose: Short term oral or nasal intubation</p> <p>Size: 8.0 mm</p> <p>Clear thermo-sensitive PVC tube with a radio-opaque line. Full Magill curvature.</p> <p>Firm kink resistant tube - atraumatic to airway.</p> <p>Bevelled atraumatic tip, murphy eye on opposite side to bevel.</p> <p>Marks/reference lines proximal to cuff to aid with depth of intubation and guide proper placement</p> <p>High volume low pressure cuff with pilot cuff. Pilot cuff to have a one-way valve. Cuff to inflate and deflate easily, and pilot cuff must indicate the degree of inflation accurately</p> <p>Cuff must be resistant to Nitrous oxide effects. When deflated, cuff must conform closely to tube to minimise the risk of trauma during intubation and extubation.</p> <p>Secure circuit connector with 15mm OD.</p> <p>Tube must be marked with numbered depth markings in 1 cm intervals, tube size, length, ID, OD, trade name. Markings on tube must be clear and must not rub off.</p> <p>Manufactured from: PVC – tubes; Polyurethane: cuffs, Medical grade plastic: connectors</p> <p>All components latex free.</p> <p>Sterile and individually packed in peel pouch</p> <p>Single use only</p>

	<p>The following must be noted on the packaging:</p> <p>Trade name</p> <p>Size and specification</p> <p>Method of sterilization</p> <p>Manufacturing site</p> <p>CE number</p> <p>Lot number</p> <p>Expiry date</p> <p>Per unit</p>
--	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

ITEM:	DESCRIPTION:
PC 8	<p style="text-align: center;">E3306536</p> <p>Cuffed plain Oral/Nasal tracheal tube with a Murphy eye. 8.5 mm ID</p> <p>Purpose: Short term oral or nasal intubation</p> <p>Size: 8.5 mm</p> <p>Clear thermo-sensitive PVC tube with a radio-opaque line. Full Magill curvature.</p> <p>Firm kink resistant tube - atraumatic to airway.</p> <p>Bevelled atraumatic tip, murphy eye on opposite side to bevel.</p> <p>Marks/reference lines proximal to cuff to aid with depth of intubation and guide proper placement</p> <p>High volume low pressure cuff with pilot cuff. Pilot cuff to have a one-way valve. Cuff to inflate and deflate easily, and pilot cuff must indicate the degree of inflation accurately</p> <p>Cuff must be resistant to Nitrous oxide effects. When deflated, cuff must conform closely to tube to minimise the risk of trauma during intubation and extubation.</p> <p>Secure circuit connector with 15mm OD.</p> <p>Tube must be marked with numbered depth markings in 1 cm intervals, tube size, length, ID, OD, trade name. Markings on tube must be clear and must not rub off.</p>

ITEM:	DESCRIPTION: E3306537
PC 9	<p data-bbox="395 293 1141 322">Cuffed plain Oral/Nasal tracheal tube with a Murphy eye. 9.0 mm ID</p> <p data-bbox="395 344 850 374">Purpose: Short term oral or nasal intubation</p> <p data-bbox="395 456 533 486">Size: 9.0 mm</p> <p data-bbox="395 508 1222 537">Clear thermo-sensitive PVC tube with a radio-opaque line. Full Magill curvature.</p> <p data-bbox="395 566 874 595">Firm kink resistant tube - atraumatic to airway.</p> <p data-bbox="395 622 1042 651">Bevelled atraumatic tip, murphy eye on opposite side to bevel.</p> <p data-bbox="395 678 1291 736">Marks/reference lines proximal to cuff to aid with depth of intubation and guide proper placement</p> <p data-bbox="395 815 1313 873">High volume low pressure cuff with pilot cuff. Pilot cuff to have a one-way valve. Cuff to inflate and deflate easily, and pilot cuff must indicate the degree of inflation accurately</p> <p data-bbox="395 902 1342 960">Cuff must be resistant to Nitrous oxide effects. When deflated, cuff must conform closely to tube to minimise the risk of trauma during intubation and extubation.</p> <p data-bbox="395 1039 815 1068">Secure circuit connector with 15mm OD.</p> <p data-bbox="395 1095 1321 1153">Tube must be marked with numbered depth markings in 1 cm intervals, tube size, length, ID, OD, trade name. Markings on tube must be clear and must not rub off.</p> <p data-bbox="395 1232 1316 1261">Manufactured from: PVC – tubes; Polyurethane: cuffs, Medical grade plastic: connectors</p> <p data-bbox="395 1288 667 1317">All components latex free.</p> <p data-bbox="395 1395 861 1424">Sterile and individually packed in peel pouch</p> <p data-bbox="395 1451 558 1480">Single use only</p> <p data-bbox="395 1559 882 1588">The following must be noted on the packaging:</p> <p data-bbox="395 1615 526 1644">Trade name</p> <p data-bbox="395 1671 627 1700">Size and specification</p> <p data-bbox="395 1727 627 1756">Method of sterilization</p> <p data-bbox="395 1783 590 1812">Manufacturing site</p> <p data-bbox="395 1839 518 1868">CE number</p> <p data-bbox="395 1895 622 1924">Lot number</p> <p data-bbox="395 1951 518 1980">Expiry date</p> <p data-bbox="395 2051 480 2080">Per unit</p>
25	<p data-bbox="395 1890 622 1919">ZNB 6685/2/2016-H</p>